

GENERAL SUMMARY

Prepared for:

Project ID:

Scope: G.C

No. Of Floors: 2

Date: 22-Mar-24



BUILDING GSF


Ground Floor Office Building Area 3967

Ground Floor Classroom Building Area 5973

2nd Floor (SF) 3158

Total GSF 13098

DIVISION NO	DESCRIPTION	TOTAL DIV. COST	TOTAL DIV. COST (PER SF)
1000	General Requirements	\$ -	\$ -
2000	Existing Condition	\$ -	\$ -
3000	Concrete	\$ -	\$ -
4000	Masonry	\$ -	\$ -
5000	Metals	\$ -	\$ -
6000	Wood, Plastics & Composites	\$ -	\$ -
7000	Thermal & Moisture Protection	\$ -	\$ -
8000	Opening	\$ -	\$ -
9000	Finishes	\$ -	\$ -
10000	Specialties	\$ -	\$ -
11000	Equipments	\$ -	\$ -
32000	Site Improvements	\$ -	\$ -
33000	Utilities	\$ -	\$ -
TOTAL TRADE COST		\$ -	\$ -
OVERHEAD AND PROFIT		15%	\$ -
CONTINGENCY		0%	\$ -
TAX		0.00%	\$ -
SUGGESTED BID		\$ -	\$ -



DETAILED BREAKDOWN OF ITEMS													
Prepared for:		Project Name											
Project ID:		Project Address											
Scope:		G.C											
												Date: 22-Mar-24	
SR #	Drawing #	Detail #	DESCRIPTION	UNIT	QUANTITY	WASTAGE	QUANTITY W/ WASTAGE	UNIT MAN/ HOUR	HOURLY WAGE	LABOR COST	MAT. COST	UNIT COST	SUB COST
GENERAL REQUIREMENTS													
1			Permits	LS	1	0%	1	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
2			Supervision and Coordination	LS	1	0%	1	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
3			Submittals and Shop drawings	LS	1	0%	1	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
4			Final Cleaning	LS	1	0%	1	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
5			Mobilization Costs	LS	1	0%	1	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
6			Temporary Control & Facilities	LS	1	0%	1	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
7			Scaffolding	LS	1	0%	1	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
8			Insurance	LS	1	0%	1	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
												SUBTOTAL	\$ -
EXISTING CONDITION													
SITE													
9			Demo	SF	2918	10%	3209	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
10			Pavement Restoration/Resurfacing	SF	10105	10%	11115	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
11			Bench To Be Removed & Provide To Owner	EA	1	0%	1	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
12			Clear Street Light Pole Removed & Provided To Owner	EA	1	0%	1	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
13			Clear Site for New Building	SF	16741	10%	18415	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
												SUBTOTAL	\$ -
CONCRETE													
PILE													
14			7.425" Open Ended Steel Pipe (Casing) Micro Pile (50'-0" H)	EA	22.00								
			Concrete	CY	12.92	10%	14	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
15			Reinforcement:										
			1 #11 Bar	Lbs	6194.96	10%	6814	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
FO-104.00 PILE CAP													
			PC 2: 3'-6" W x 6'-6" L x 4'-0" H Concrete Pile Cap	EA	10.00								
			Concrete	CY	33.70	10%	37	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
16			Reinforcement:										
			4 #9 Bottom Long Bar	Lbs	884.00	10%	972	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
17			7 #9 Bottom Short Bar	Lbs	833.00	10%	916	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
18			Formwork	SF	1040.00	10%	1144	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
19			Excavation	CY	43.33	10%	48	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
20			Backfill	CY	9.63	10%	11	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
21			PC 3: 6'-0" W x 6'-6" L x 4'-0" H Concrete Pile Cap	EA	31.00								
22			Concrete	CY	179.11	10%	197	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
23			Reinforcement:										
			7 #9 Bottom Long Bar	Lbs	4795.70	10%	5275	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
24			7 #9 Bottom Short Bar	Lbs	4426.80	10%	4869	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
25			Formwork	SF	3224.00	10%	3546	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
26			Excavation	CY	208.96	10%	230	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
27			Backfill	CY	29.85	10%	33	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
3FO-105.00 33" W x 30" H Pile Cap													
			Concrete	LF	32.81								
			Reinforcement:										
			#10 Bar 1&B EA @ 10" O.C	Lbs	697.12	10%	767	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
29			Formwork	SF	164.05	10%	180	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
30			Excavation	CY	12.91	10%	14	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
31			Backfill	CY	5.32	10%	6	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
32			GRADE BEAM	LF	576.13								
			Concrete	CY	181.35	10%	199	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
33			Reinforcement:										
			12 #10 Bars 1&B	Lbs	29749.05	10%	32724	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
34			6 #8 Side Bar Each Face	Lbs	9229.60	10%	10153	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
35			#4 Stirrups @ 8" O.C	Lbs	6654.66	10%	7320	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
36			Formwork	SF	3456.78	10%	3802	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
37			Excavation	CY	245.18	10%	270	0.325	\$ -	\$ -	\$ -	\$ -	\$ -
38			Backfill	CY	63.82	10%	70	0.300	\$ -	\$ -	\$ -	\$ -	\$ -
39			GB2: 2'-4" W x 2'-8" H Grade Beam	LF	191.46								
40			Concrete	CY	44.06	10%	48	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
41			Reinforcement:										
			8 #10 Bars 1&B	Lbs	6590.82	10%	7250	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
42			4 #8 Side Bar Each Face	Lbs	2044.79	10%	2249	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
43			#4 Stirrups @ 8" O.C	Lbs	1847.18	10%	2032	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
44			Formwork	SF	1021.25	10%	1123	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
45			Excavation	CY	62.98	10%	69	0.325	\$ -	\$ -	\$ -	\$ -	\$ -
46			Backfill	CY	18.91	10%	21	0.300	\$ -	\$ -	\$ -	\$ -	\$ -
CONCRETE STEM WALL													
47			1' Concrete Stem Wall (3'-0" H & 90 LF)	LF	90.00								
			Concrete	CY	10.00	10%	11	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
48			Reinforcement:										
			#4 Horizontal Bar EA Face @ 12" O.C	Lbs	240.48	10%	265	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
49			#5 Vertical Bar EA Face @ 12" O.C	Lbs	284.74	10%	313	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
50			Formwork	SF	540.00	10%	594	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
51			Excavation	CY	20.00	10%	22	0.325	\$ -	\$ -	\$ -	\$ -	\$ -
52			Backfill	CY	10.00	10%	11	0.300	\$ -	\$ -	\$ -	\$ -	\$ -
53			1FO-103 7' W x 1'-6" H Concrete Footing	LF	113.52								
			Concrete	CY	44.15	10%	49	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
54			Reinforcement:										
			#5 Bar @ 12" O.C 1&B	Lbs	238.89	10%	263	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
55			#4 Bar @ 12" O.C 1&B	Lbs	153.00	10%	168	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
56			Formwork	SF	340.56	10%	375	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
57			Excavation	CY	50.45	10%	55	0.325	\$ -	\$ -	\$ -	\$ -	\$ -
58			Backfill	CY	6.31	10%	7	0.300	\$ -	\$ -	\$ -	\$ -	\$ -
59			1FO-103 1' Concrete Stem Wall (4'-4" H & 113.52 LF)	LF	113.52								
			Concrete	CY	18.21	10%	20	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
60			Reinforcement:										
			#4 Horizontal Bar	Lbs	1364.96	10%	1501	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
61			#5 Vertical Bar @ 12" O.C 1&B	Lbs	517.19	10%	569	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
62			#7 Vertical Bar @ 12" O.C 1&B	Lbs	1011.58	10%	1113	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
63			Formwork	SF	983.08	10%	1081	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
64			Excavation	CY	36.41	10%	40	0.325	\$ -	\$ -	\$ -	\$ -	\$ -
65			Backfill	CY	18.21	10%	20	0.300	\$ -	\$ -	\$ -	\$ -	\$ -
66			4FO-102 1' W x 12'-3" H Concrete Stem Wall	LF	19.12								
			Concrete	CY	8.67	10%	10	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
67			Reinforcement:										
			#5 Horizontal Bar @ 12" O.C	Lbs	264.23	10%	291	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
68			#5 Vertical Bar @ 12" O.C	Lbs	257.07	10%	283	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
69			Formwork	SF	468.44	10%	515	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
70			Excavation	CY	17.35	10%	19	0.325	\$ -	\$ -	\$ -	\$ -	\$ -
71			Backfill	CY	8.67	10%	10	0.300	\$ -	\$ -	\$ -	\$ -	\$ -
72			4FO-102 1' W x 17'-6" H Concrete Stem Wall	LF	7.82								
			Concrete	CY	4.55	10%	5	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
73			Reinforcement:										
			#5 Horizontal Bar @ 12" O.C	Lbs	135.45	10%	149	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
74			#5 Vertical Bar @ 12" O.C	Lbs	146.39	10%	161	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
75			Formwork	SF	245.70	10%	270	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
76			Excavation	CY	9.10	10%	10	0.325	\$ -	\$ -	\$ -	\$ -	\$ -
77			Backfill	CY	4.55	10%	5	0.300	\$ -	\$ -	\$ -	\$ -	\$ -
78			4FO-102 1' W x 8'-10" H Concrete Stem Wall	LF	18.62								
			Concrete	CY	6.09	10%	7	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
79			Reinforcement:										
			#5 Horizontal Bar @ 12" O.C	Lbs	190.91	10%	210	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
80			#5 Vertical Bar @ 12" O.C	Lbs	180.69	10%	199	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
81			Formwork	SF	328.63	10%	362	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
82			Excavation	CY	12.18	10%	13	0.325	\$ -	\$ -	\$ -	\$ -	\$ -
83			Backfill	CY	6.09	10%	7	0.300	\$ -	\$ -	\$ -	\$ -	\$ -
84			6FO-101 10" W x 1'-10" H Concrete Stem Wall W/Reinforcement	LF	5.56								
			Concrete	CY	0.31	10%	0	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
85			Formwork	SF	20.35	10%	22	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
86			3FO-101 10" x 2' Concrete Wall	LF	67.88								
			Concrete	CY	4.17	10%	5	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
87			Reinforcement:										
			#4 Horizontal Bar @ 12" O.C	Lbs	136.03	10%	150	0.000	\$ -	\$ -	\$ -	\$ -	\$ -
88			#5 Vertical Bar @ 12" O.C	Lbs	143.68	10%	158	0.000	\$ -				

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

573		ADMIN PANTRY UC MICROWAVE (EQ09) -Mfg: BOSCH -Model: HMD8451UC -Size: 15"x22"x23.5"	EA	1	0%	1	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
574		AVANTCO REFRIGERATION (EQ10) -Mfg: A SERIES -Model: 178A35RHC -Size: 39"x29"x82"	EA	1	0%	1	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
575		2 BURNER COOKTOP (EQ12) -Mfg: WOLF -Model: CE152T/S -Size: 15"x21"x22"	EA	1	0%	1	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
576		CEILING FAN (EQ13) Mfg: BIG ASS FANS Model: MK-161-07-19-00 Size: 84" DIA Color: A728, NO LIGHT	EA	4	0%	4	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
577		ADA DISHWASHER (EQ14) -Mfg: BOSCH -Model: SCV78B53UC -Size: 32"x24"x21"	EA	1	0%	1	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
578		MANUAL SHADES (EQ15) Mfg: MECHROSHADE Model: MECHO7 WITH FASCIA	EA	30	0%	30	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
579		CABINET HEATER (EQ16) -Mfg: Model: Size: VARIES	EA	3	0%	3	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
580		WALL FAN (EQ17) -Mfg: BIG ASS FANS -Model: AIREYE SWIVEL MOUNT -Size: 20"	EA	1	0%	1	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
SUBTOTAL													\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
SITE IMPROVEMENTS																		
PAVERS																		
581		New Pavers	SF	9	10%	10	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
LANDSCAPING																		
Trees																		
582		Common Name: Appalachian Spring Dogwood -Botanical Name: Cornus Florida 'Appalachian Spring' Size: 3-4" Cal.	EA	9	0%	9	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
583		Common Name: Female Maidenhair Tree -Botanical Name: Ginkgo Biloba 'Motherload' Size: 3" Cal.	EA	1	0%	1	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
584		Common Name: Moonglow Sweetbay Magnolia -Botanical Name: Magnolia Virginiana 'Moonglow' Size: 3-4" Cal.	EA	14	0%	14	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
585		Common Name: Tupelo -Botanical Name: Nyssa Sylvatica Size: 3-3.5" Cal.	EA	21	0%	21	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
586		Common Name: American Hophornbeam -Botanical Name: Ostrya Virginiana Size: 3-4" Cal.	EA	6	0%	6	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
Shrubs																		
587		Common Name: Sixteen Candles Summersweet -Botanical Name: Clethra Alnifolia 'Sixteen Candles' Size: 5 Gal.	EA	146	0%	146	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
588		Common Name: Bloodtwig Dogwood -Botanical Name: Cornus Sanguinea 'Arctic Sun' Size: 5 Gal.	EA	48	0%	48	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
589		Common Name: Winter Red Winterberry -Botanical Name: Llex Verticillata 'Winter Red' Size: 5 Gal.	EA	84	0%	84	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
590		Common Name: Southern Gentleman Winterberry -Botanical Name: Llex Verticillata 'Southern Gentleman' Size: 5 Gal.	EA	11	0%	11	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
Bulbs																		
591		Common Name: Nodding Onion -Botanical Name: Allium Cernuum Size: 1 qt.	EA	787	0%	787	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
Ferns																		
592		Common Name: NY Fern -Botanical Name: Thelypteris Noveboracensis Size: 1 Gal.	EA	314	0%	314	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
Grasses																		
593		Common Name: Blue Grama Grass -Botanical Name: Bouteloua Gracilis Size: 1 qt.	EA	492	0%	492	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
594		Common Name: Prairie Sedge -Botanical Name: Carex Bicknellii Size: 1 Gal.	EA	1800	0%	1800	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
595		Common Name: Leavenworth's Sedge -Botanical Name: Carex Leavenworthii Size: 1 Gal.	EA	1891	0%	1891	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
596		Common Name: Rosy Sedge -Botanical Name: Carex Rosea Size: 1 Gal.	EA	42	0%	42	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
597		Common Name: Common Rush -Botanical Name: Juncus Effusus Size: 1 Gal.	EA	1441	0%	1441	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
Perennials																		
598		Common Name: Bugbane -Botanical Name: Actaea Racemosa Size: 1 Gal.	EA	171	0%	171	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
599		Common Name: White Sea Thrift -Botanical Name: Armeria Maritima 'Aalba' Size: 1 qt.	EA	3324	0%	3324	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
600		Common Name: Eastern Star White Wood Aster -Botanical Name: Eurybia Divaricata 'Eastern Star' Size: 1 Gal.	EA	95	0%	95	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
601		Common Name: Spotted Geranium -Botanical Name: Geranium Maculatum Size: 1 Gal.	EA	137	0%	137	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
602		Common Name: Luna White Rose Mallow -Botanical Name: Hibiscus Moscheutos 'Luna White' Size: 1 Gal.	EA	274	0%	274	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
603		Common Name: Blue Flag -Botanical Name: Iris Versicolor Size: 1 Gal.	EA	317	0%	317	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
604		Common Name: Yellow Prairie Coneflower -Botanical Name: Ratibida Columnifera Size: 1 qt.	EA	885	0%	885	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
605		Common Name: Dean's Coneflower -Botanical Name: Rudbeckia Fulgida Deamii Size: 1 Gal.	EA	737	0%	737	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
SOD/SEED																		
606		Seed Lawn -Botanical Name: Seed Lawn	SF	5312	10%	5843	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
PAVEMENT																		
607		1 1/2" Asphalt Pavement	SF	9621	10%	10583	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
FENCE																		
608		Silt Fence (3'-0" H)	LF	1012	10%	1114	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
SITEWORK																		
609	15C-112	2x8 Bench	EA	8	0%	8	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
610		Chain Link Fence (6'-0" H) W/ 2" O.D Tension Bar	LF	775	10%	852	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
611		10'x10' Concrete Washout Pad	EA	1	0%	1	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
		Filtration BioRetention #1	SF	226														
		12" Min. Angular Crushed Stone -Clean & Free Of Fine -Max. Wash Loss Of 0.5% -Max. Abrasion Of 10% For 100 Revolutions & 50% For 500 Revolutions	SF	226	10%	249	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
		Filter Media (30" Depth)	SF	300	10%	330	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
		3" Mulch	SF	380	10%	418	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
		Filtration BioRetention #2	SF	949														
		12" Min. Angular Crushed Stone -Clean & Free Of Fine -Max. Wash Loss Of 0.5% -Max. Abrasion Of 10% For 100 Revolutions & 50% For 500 Revolutions	SF	949	10%	1044	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
		Filter Media (30" Depth)	SF	949	10%	1044	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
		3" Mulch	SF	1377	10%	1515	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
612		5'x6'0" Catch Basin Protection	EA	4	10%	4	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
613		Stormtech Chambers -Model: SC-740	LF	167	10%	184	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
614	15.1C-112	Protective Tree Barrier Fence (6'-0" H)	LF	855.4	10%	941	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
615		50'Lx12'W Stabilized Construction Access	EA	1	10%	1	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
616		Silt Fence (Detail: 15.1)	LF	183	10%	201	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
		Filtration BioRetention #3	SF	803														
		12" Min. Angular Crushed Stone -Clean & Free Of Fine -Max. Wash Loss Of 0.5% -Max. Abrasion Of 10% For 100 Revolutions & 50% For 500 Revolutions	SF	803	10%	883	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
		Filter Media (30" Depth)	SF	803	10%	883	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
		3" Mulch	SF	1043	10%	1147	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
617		Observation Well	EA	3	0%	3	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
SUBTOTAL													\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
UTILITIES																		
PIPING																		
DUCTILE PIPE																		
618		6" Ductile Iron Pipe (DIP)	LF	1018.83	10%	1121	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				
619		4" Ductile Iron Pipe (DIP)	LF	128.94	10%	142	0.000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -				

